



TECHNICAL RIDER FOR FESTIVAL AND BIG EVENTS



<u>Kaval</u>


- → 1 Sennheiser MD 441-U (dynamic mic.)
 - + XLR cable + 1 mic. stand
- → 1 Shure SM58 (dynamic mic.)
 - + XLR cable + mic. stand (for talk back)
- → 1 extra XLR cable (from multi-effects processor to main mixer)
- 冷 A minimum of 3 power outlets

Piano

- → 3 separate channels on main mixer1 L/R stereo + 1 mic. (for talking)
- Any standard acoustic piano (A=440 hz [preferably] **or** a stage piano from the *Nord Piano* **or** *Nord Stage series* (88 keys, hammer action)
 - 2 line cables + 1 DI Box + 1 XLR cable + 1 keyboard stand (double x)

Cabling and microphoning of the provided piano at the discretion of the festival

- ↑ 1 any wireless dynamic mic. (for talking)
- ♦ A minimum of 5 power outlets
- Piano stool <u>or</u> bench + 1 music stand <u>or</u> small decorative table for computer and sound card





Keyboard(s) and Percussion

- 4 separate channels on main mixer
 1 L/R stereo and 1 mono (for keys) + 1 mic. (talk box)
- The number of channels on the main mixer may vary depending on the microphone placement method used by the festival's sound engineers for the percussion instruments
- → Meinl Lois Conte Conga 11 3/4" 001 wood Natural (with stand)
- Meinl Lois Conte Tumbadora 12 1/2" 001 wood Natural (with stand)
- → Luis Conte Signature Bongo, Natural LC300NT-M (with stand)
- → Meinl HT1314CH 13"/14" Timbal (with stand)
- → Meinl STB625 6.25" Cowbell
- Meinl STB80BCH 8" Cowbell
- → Jinbao SFB Block
- → 16" Istanbul Agop Xist ION Crash
- Nord Lead 4 Virtual Analog Synthesizer and Moog Little Phatty Stage II Synthesizer
- ♦ 4 line cables + 3 DI Boxes + 3 XLR cables (for keys)
- 1 Shure SM58 (dynamic mic.) + 1 XLR cable + mic. stand (for talk box)
- 2 cymbal stands + 1 cymbal T stand + 2 keyboard stands + 1 music stand + a minimum of 4 power outlets
- In-ear wireless belt pack or stage monitor

Bass

- If there is a need for sound to be routed through the PA system: 2 separate channels on main mixer (1 from amp to PA and 1 from synth to PA)
- → Moog SubSequent 37 Analog Synthesizer
- Bass amp, preferably:

Head: Aguilar, Ampeg, Markbass or an equivalent

Cab: 8x10

- 1 line cable + 1 L-shaped line cable + 2 DI Boxes + 2 XLR cables
- → A minimum of 3 power outlets





Drums

Full sets:

TAMA Star Walnut 4 piece with an additional snare (written below) <u>or</u> DW Drums Design Series 5 piece <u>or an equivalent</u>

Drumset:

One (1) Bass Drum 20"

One (1) Rack Tom 10"

One (1) Rack Tom 12"

One (1) Floor Tom 14" or 16"

One (1) Snare Drum 14"x5

<u>Drums Hardware:</u> (DW, Gibraltar anything sturdy would work)

One (1) DW9000 or DW5000 bass drum pedal (with a hard felt beater)

Four (4) Cymbal boom stands

One (1) DWCP9500D Hi Hat stand

One (1) Heavy duty drum seat with decent height adjustment

Two (2) Snare drum stands

One (1) Slip resistant carpet

One (1) Drum key

Two (2) Overhead mics

One (1) Snare mic

Individual mics for each tom

All drums should be a complete set of Tama, DW, Gretsch, Sonor <u>or</u> Pearl brands (written in order of preference)

Cymbals: (if not provided by the band)

Zildjian K Custom


One (1) 14" Dry Hi Hat Cymbal

One (1) 22" Medium Ride Cymbal

One (1) 20" Dark Ride Cymbal

One (1) 18" Dark Crash

One (1) Istanbul Agop Clapstack



A minimum of 2 hours is to be scheduled for soundcheck after setup and line check.

Please provide backstage access for the band to rest before the show and between sets, as well as to change into stage outfits. Please provide cold and room temperature water as well as sweet and savory snacks for the artists backstage.

Some of the requested backline equipment may be provided not only by the organization but also by the band. Please feel free to contact the band concerning any questions or to clarify any information regarding this technical rider:

www.kapikoband.com

e-mail: kapikoband@gmail.com

tel.: +905387721146 (English, Turkish, German, French)